Author index to volume 94 (1991)

Bandelt, H.J. and H.M. Mulder, Pseudo-median graphs: decomposition via	
amalgamation and Cartesian multiplication	$(3)\ 161-180$
Beck, I. and S. Krogdahl, On log concave sequences (Note)	(2) 141-145
Bialostocki, A. and P. Dierker, An isoperimetric lemma (Note)	(3) 221-228
Clark, W.E., Blocking sets in finite projective spaces and uneven binary codes (Note)	(1) 65- 68
Dierker, P., see Bialostocki, A.	(3) 221-228
El-Zahar, M. and N.W. Sauer, Ramsey-type properties of relational structures	(1) 1- 10
Galeana-Sánchez, H. and V. Neumann-Lara, Extending kernel perfect digraphs to	
kernel perfect critical digraphs	(3) 181 - 187
Granville, A., On a paper of Agur, Fraenkel and Klein (Note)	(2) 147-151
Hartvigsen, D. and R. Mardon, Cycle bases from orderings and coverings	(2) 81- 94
Haviland, J., On minimum maximal independent sets of a graph	(2) 95-101
Hobart, S.A., On designs related to coherent configurations of type (2 2/4)	(2) 103-127
Honkala, I., All binary codes with covering radius one are subnormal (Note)	(3) 229-232
Hwang, S.G., Doubly stochastic circulant matrices (Note)	(1) 69- 74
Kinch, L. and J. Lehel, The irregularity strength of tP ₃ (Note)	(1) 75- 79
Krogdahl, S., see Beck, I.	(2) 141-145
Lai, HJ., Graph whose edges are in small cycles	(1) 11- 22
Lehel, J., see Kinch, L.	(1) 75- 79
Li, X. and F. Zhang, On the numbers of spanning trees and Eulerian tours in	
generalized de Bruijn graphs	(3) 189 - 197
Lu, X., A matching game	(3) 199-207
Manvel, B., A. Meyerowitz, A. Schwenk, K. Smith and P. Stockmeyer, Reconstruc-	
tion of sequences	(3) 209 - 219
Mardon, R., see Hartvigsen, D.	(2) 81- 94
Meyerowitz, A., see Manvel, B.	(3) 209 - 219
Mulder, H.M., see Bandelt, H.J.	(3) 161-180
Neumann-Lara, V., see Galeana-Sánchez, H.	(3) 181 - 187
Niederhausen, H., Initial value problems in the logarithmic algebra	(1) 23- 37
Peng, Y.H., On the chromatic uniqueness of certain bipartite graphs	(2) 129-140
Sauer, N.W., see El-Zahar, M.	(1) 1- 10
Schwenk, A., see Manvel, B.	(3) 209 - 219
Siráň, J., Characterization of signed graphs which are cellularly embeddable in no	
more than one surface	(1) 39- 44
Siráň, J., Duke's theorem does not extend to signed graph embeddings (Note)	(3) 233-238
Smith, K., see Manvel, B.	(3) 209-219
Stockmeyer, P., see Manvel, B.	(3) 209-219
Suen, W.C.S., On the largest strong components in m-out digraphs	(1) 45- 52
Watanabe, M., Arrow relations on families of finite sets	(1) 53- 64
Xu, S., The chromatic uniqueness of complete bipartite graphs (Note)	(2) 153-159
Zhang, F., see Li, X.	(3) 189-197